

Jan. 1, 2022 Premium Formulary Exclusions & Preferred Specialty Prior Authorization Requirements

Therapeutic Category	Excluded Medications		Formulary Alternatives
ALLERGIC REACTIONS			
Anaphylaxis Treatment	Auvi-Q (0.15mg, 0.3mg)		epinephrine injection (0.15mg, 0.3mg)
ANALGESICS			
Non-Steroidal Anti-Inflammatory Agents	Oral	Cambia, Diclofenac Cap 35mg (M), Zipsor, Zorvolex	celecoxib, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin
		Qmiiz ODT	meloxicam
		Relafen DS	nabumetone
	Other	Ketorolac Nasal Spray (M), Sprix Nasal Spray	diclofenac, ibuprofen, meloxicam
	Topical	Diclofenac Patch (M), Flector, Licart, Pennsaid, Voltaren gel	diclofenac gel/solution
Opioid Analgesics	Combinations	Apadaz, Benzhydrocodone/acetaminophen	hydrocodone/acetaminophen, oxycodone/acetaminophen
	Oral Long-Acting	Nucynta ER, Oxycodone ER (M)	hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER
		Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M)	tramadol ER
	Oral Short-Acting	Nucynta	codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl
		Qdolo	tramadol

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications		Formulary Alternatives
ANALGESICS			
Opioid Analgesics	Transmucosal Fentanyl Analgesics	Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys	fentanyl citrate lozenge
Skeletal Muscle Relaxants	Norgesic Forte, Orphengesic Forte (M)		orphenadrine tab, aspirin
	Ozobax		baclofen
ANTIBACTERIALS			
Oral Antibiotics	Doryx 80mg, Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira		doxycycline, minocycline
Vaginal Antiinfectives	Cleocin vaginal suppositories, Nuversa gel		clindamycin vaginal cream, metronidazole vaginal gel
ANTICONVULSANTS			
Seizure Disorders	Lamictal ODT Kit		lamotrigine ODT
	Oxtellar XR ¹		oxcarbazepine IR
ANTIDEPRESSANTS			
Antidepressants	Bupropion XL (M) ¹ , Forfivo XL ¹		bupropion XL
ANTIFUNGALS, ORAL			
Oral Antifungals	Tolsura		itraconazole cap
ANTIHEMOPHILIACS			
Hemophilia A	Esperoct ¹		Adynovate, Afstyla, Eloctate, Jivi
ANTIMIGRAINES			
CGRP Antagonists	Ajovy		amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Emgality
	Reyvow		Nurtec ODT, Ubrelvy
Serotonin Receptor Agonists	Onzetra Xsail, Tosymra, Zembrace Symtouch		rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT
ANTIPARKINSON AGENTS			
Parkinson's Disease	Gocovri, Osmolex ER		amantadine
ANTIPSYCHOTICS			
Atypical/Second Generation Antipsychotics	Secuado ¹		aripiprazole, asenipine, olanzapine, quetiapine, quetiapine ER, paliperidone ER, risperidone, ziprasidone

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
ANTIVIRALS		
Hepatitis-C drugs	Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M)	Epclusa, Harvoni, Mavyret, Vosevi
HIV Drugs	Cabenuva ¹ , Descovy ² , Temixys ¹ , Vocabria ¹	Please talk to your doctor about clinically appropriate options.
AUTONOMIC & CENTRAL NERVOUS SYSTEM		
Attention Deficit Disorder	Adhansia XR	dexamethylphenidate ER, methylphenidate ER, Vyvanse
Interferon Beta Medications for Multiple Sclerosis	Extavia ¹ , Plegridy ¹ , Rebif ¹ , Rebif Rebidose ¹	Avonex, Betaseron
CARDIOVASCULAR		
Cholesterol-Lowering Agents	Livalo, Zypitamag	atorvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin
	Praluent	Repatha
Hypertension	Conjupri, Katerzia	amlodipine
	Inderal XL, Innopran XL	propranolol ER
	Kaspargo	metoprolol ER
Hypertension with Osteoarthritis	Consensi	amlodipine, celecoxib
CHEMOTHERAPY AGENTS		
Alkylating Agents	Belrapzo, Bendamustine, Treanda	Bendeka
Antiandrogens	Erleada ¹	Nubeqa, Xtandi
	Yonsa ¹	Xtandi
Combination Agents	Inqovi ¹	Please talk to your doctor about clinically appropriate options.
Cytolytic Antibodies	Riabni ¹ , Truxima	Ruxience
HER-2 Inhibitors	Herzuma, Ogivri, Ontruzant	Kanjinti, Phesgo, Trazimera
Kinase Inhibitors	Gavreto ¹	Retevmo
	Tepmetko ¹	Tabrecta

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
CHEMOTHERAPY AGENTS		
Methyltransferase Inhibitors	Tazverik ¹	Please talk to your doctor about clinically appropriate options.
Miscellaneous	Darzalex Faspro	
CONTRACEPTIVES		
Gel	Phexxi	Please talk to your doctor about clinically appropriate options.
Oral	Slynd	camila, incassia, nora-be, norethindrone, norlyda, norlyroc
Patch	Twirla	levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane
CORTICOSTEROIDS		
Oral Steroids	Alkindi Sprinkle	hydrocortisone
	Hemady	dexamethasone
	Rayos	prednisone
DERMATOLOGICAL AGENTS		
Topical Acne Treatment	Avita, Differin lotion	adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08%
	Aklief, Clindagel, Clindamycin phosphate 1% gel(M), Dapsone 7.5% (M), Veltin	adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Aczone 7.5%, Amzeeq, Epiduo Forte, Onexton
	Arazlo, Fabior, Tazorac cream 0.05%, gel 0.1%, 0.05%, Tazarotene foam 1%	tazarotene cream
	Winlevi	adapalene, clindamycin, dapsone, tazarotene cream, tretinoin cream
Topical Anesthetics	ZTIido	lidocaine patch
Topical Antifungals	Jublia	ciclopirox, tavaborole, terbinafine, Kerydin

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
DERMATOLOGICAL AGENTS		
Topical Antiinfectives	Noritrate cream	azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lootion, Finacea foam, Soolantra
Topical Corticosteroids	ALA Scalp lotion	hydrocortisone
	Apexicon E cream	fluocinonide, betamethasone
	Capex shampoo	flucinolone acetonide scalp oil, Derma-Smoothe/FS
	Cordran tape	flurandrenolide
	Halobetasol foam(M), Lexette	betamethasone, clobetasol, halobetasol cream/ointment
	Halog ointment	betamethasone, mometasone, triamcinolone
	Impeklo lotion	augmented betamethasone dipropionate, clobetasol
	Impoyz cream	clobetasol
	Pandel cream	flurandrenolide, hydrocortisone valerate, triamcinolone acetonide
	Psorcon cream, Verdeso foam	betamethasone, fluocinolone
	Trianex oint 0.05%	hydrocortisone valerate, triamcinolone acetonide
	Ultravate lotion	clobetasol proprionate, fluocinonide, halobetasol proprionate
Topical Immune Response Modifier	Imiquimod cream pump 3.75% (M), Zyclara Pump	imiquimod
Topical Plaque Psoriasis	Calcipotriene foam 0.005% (M), Sorilux	calcipotriene
	Duobrii lotion	clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar
	Wynzora	calcipotriene, calcipotriene/betamethasone, Enstilar, Taclonex suspension
DIABETES		
Blood Glucose Meters, Test Strips and Control Solutions	Examples: Abbott (FreeStyle, Precision), Arkray(GlucoCard), Lifescan (Onetouch), Trividia, (TRUEtest, TRUEtrack), Roche (Accu-Chek)	Ascencia (Contour, Contour Next)

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
DIABETES		
Continuous Glucose Monitoring (CGM)	Freestyle Libre	Dexcom
Blood Sugar Regulators Miscellaneous	metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release	metformin ER
Dipeptidyl Peptidase-4 (DPP4) Inhibitors & Combinations	Alogliptin (M), Alogliptin with metformin (M), Alogliptin with pioglitazone (M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni	Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta
Basal insulins	Basaglar, Levemir, Semglee, Tresiba	Lantus, Toujeo
Glucagon-Like Peptide-1 (GLP1) Agonists	Adlyxin	Bydureon, Bydureon BCise, Byetta, Ozempic, Rybelsus, Trulicity, Victoza
Insulins	Novolin, Novolin Relion	Humulin
Rapid-acting Insulins	Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog, Novolog Relion	Humalog, Lyumjev
Sodium-glucose Co-transporter (SGLT2) Inhibitors - Single Agent	Invokana, Steglatro	Farxiga, Jardiance
Sodium-glucose Co-transporter (SGLT2) inhibitors - Combination Agents	Invokamet, Invokamet XR, Segluromet	Synjardy, Synjardy XR, Xigduo XR
SGLT2 and DPP4 Combinations	QTERN, Steglujan	Glyxambi, Trijardy XR
ENDOCRINE (OTHER)		
Cortisol Synthesis Inhibitors	Isturisa	ketoconazole tabs, Korlym
Growth Hormones	Genotropin, Humatrope, Omnitrope, Saizen, Zomacton	Norditropin, Nutropin
Infertility	Gonal-F, Gonal-F RFF	Follistim AQ
	Cetrotide	ganirelix (made by Organon)
Somatostatin Analog	Mycapssa	octreotide injection
	Signifor (SQ)	Signifor LAR
Testosterone Replacement	Aveed, Jatenzo, Natesto, Testopel	testosterone, Androderm, Xyosted
ENZYME DISORDERS		
Duchenne Muscular dystrophy (DMD)	Amondys 45, Exondys 51, Vyondys 53	dexamethasone, methylprednisolone, prednisone

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
GASTROINTESTINAL		
Anti-Diarrheal Agents	Motofen	diphenoxylate/atropine, loperamide
Antiemetics	Sancuso patch	granisetron solution/tablet, ondansetron ODT
Anti-Inflammatory, Anti-Ulcer Agents	Duexis	famotidine, ibuprofen
Irritable Bowel Syndrome with Constipation/ Chronic Idiopathic Constipation (IBS-C/CIC)	Amitiza, Lubiprostone (M), Trulance	Linzess
Opioid-Induced Constipation (OIC)	Amitiza, Lubiprostone (M), Movantik, Relistor	Symproic
Inflammatory Bowel Disease	Dipentum	balsalazide, mesalamine DR cap 400mg, Apriso
	Ortikos	budesonide ER
Laxatives	Osmoprep, Plenvu	gavilyte, peg 3350, Clenpiq, Suprep
Pancreatic Enzymes	Pancreaze, Pertzye, Viokace	Creon, Zenpep
Proton Pump Inhibitors	omeprazole with sodium bicarbonate (cap, powder pak), Rabeprazole sprinkle cap (M)	esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, Aciphex Sprinkle caps, Dexilant
HEMATOLOGICAL		
Cyclin-dependent Kinase Inhibitor	Cosela	Nivestym, Zarzio
Erythropoiesis-Stimulating Agents	Epogen, Procrit	Aranesp, Retacrit
Immune Globulin, Intravenous (IVIG)	Asceniv ¹ , Panzyga ¹	Gammagard, Gammaplex, Gamunex-C, Privigen
Immune Globulin, Subcutaneous (SCIG)	Cutaquig ¹	Cuvitru, Hizentra, Xembify
Long-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)	Fulphila, Nyvepria, Udenyca	Neulasta, Ziextenzo
Short-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)	Granix, Neupogen	Nivestym, Zarzio

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
IMMUNOMODULATORS		
Calcineurin Inhibitor	Lupkynis	Benlysta
Folate Analog Metabolic Inhibitor	Otrexup, Reditrex	methotrexate, Rasuvo
Interleukin-17 (IL-17) Inhibitor	Cosentyx ¹	Taltz
JAK Inhibitor	Olumiant ¹	Rinvoq, Xeljanz, Xeljanz XR
TNF Inhibitor	Remicade, Renflexis	Avsola, Inflectra
IMMUNOTHERAPY		
Oral	Palforzia	Please talk to your doctor about clinically appropriate options.
OPHTHALMIC		
Antiglaucoma Drugs	Vyzulta, Zioptan	latanoprost ophthalmic solution, travoprost ophthalmic solution, Lumigan
	Timoptic Ocudose 0.25%	timolol ophthalmic solution
Antihistamines	Lastacaft, Zerviate	azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution
Dry Eye Disease	Cequa	Restasis, Xiidra
Non-steroidal Anti-Inflammatory Agents	Bromsite, Ilevro, Nevanac	bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa
Wet Age-related Macular Degeneration	Beovu	ophthalmic bevacizumab (compound), Eylea, Lucentis, Macugen
OTHER		
Antigout Agents	Colchicine capsule (M), Colcrys, Gloperba, Mitigare	colchicine tablet
Antihistamines and Combinations	Clarinet-D	desloratadine, pseudoephedrine
Bile Acid Therapy	Reltone, Ursodiol (M)	ursodiol
Chelating Agents	penicillamine cap	penicillamine tab, Depen Titra

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
OTHER		
Coagulation Factors	Sevenfact	Novoseven
Diabetic Gastroparesis	Gimoti	metoclopramide
Duchenne Muscular Dystrophy (DMD)	Viltepso	dexamethasone, methylprednisolone
Lambert-Eaton Myasthenic Syndrome (LEMS)	Firdapse	Ruzurgi
Long-Chain Fatty Acid Oxidation Disorders (LC-FAOD)	Dojolvi	Please talk to your doctor about clinically appropriate options.
Multivitamins	Examples: Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite	Any preferred multivitamin
Neurogenic Detrusor Overactivity (NDO)	Vesicare LS	oxybutynin
Obesity	Contrave	phentermine, Qsymia, Saxenda
	Imcivree	Please talk to your doctor about clinically appropriate options.
Opioid Reversal Agents	Lifems Naloxone	naloxone, Narcan
Osteoarthritis/Hyaluronic Acid Injections	Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3	Durolane, Euflexxa, Gelsyn-3
Osteoporosis	Forteo	Teriparatide, Tymlos
Platelet-Modifying Agent	Aspirin/Omeprazole (M), Yosprala	aspirin, omeprazole
Prenatal Vitamins	Examples: Azesco, Pregenna, Prenate, Trinaz, Vitafoi FE, Vitathely, Zalvit	Any preferred prenatal vitamin
Sickle Cell Anemia	Oxbryta	hydroxyurea
Sleep Disturbance Agents	Hetlioz LQ	Please talk to your doctor about clinically appropriate options.
Thyroid Agents	Levothyroxine caps (M), Thyquidity, Tirosint caps, solution	levothyroxine

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Formulary Alternatives
RESPIRATORY		
Allergy: Nasal Steroids	Xhance	mometasone furoate, Beconase AQ
COPD: Inhaled Anticholinergics	Incruse Ellipta, Tudorza	Spiriva
COPD: Long-Acting Beta Agonist/Long-Acting Muscarinic Agonist Combination inhalers	Bevespi, Duaklir	Anoro Ellipta, Stiolto Respimat
Cystic Fibrosis	Cayston, Kitabis Pak, Tobramycin Neb 300mg/5ml (M)	tobramycin nebulizer soln, TOBI podhaler
Pulmonary Anti-Inflammatory Inhalers	Alvesco, Armonair Digihaler, Asmanex, Asmanex HFA, QVAR Redihaler	Arnuity Ellipta, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler
Pulmonary Anti-Inflammatory, Long-Acting Beta Agonist Combination Inhalers	Airduo Digihaler, AirDuo Respiclick, Budesonide/Formoterol (M), Dulera	fluticasone/salmeterol inhaler, wixela, Advair Diskus, Advair HFA, Breo Ellipta, Symbicort
Short-Acting Beta-2 Adrenergic Inhalers	Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Proair Digihaler, Proair HFA, Proair Respiclick, Proventil HFA, Ventolin HFA, Xopenex HFA	Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco)
Sugar Alcohol Inhalation Therapy	Bronchitol	hypertonic saline, Pulmozyme
UROLOGICAL		
Erectile Dysfunction Oral Agents	Stendra	sildenafil
Interstitial Cystitis	Elmiron	amitriptyline, hydroxyzine
Overactive Bladder (OAB)	Gemtesa	darifenacin ER, oxybutynin ER/IR, solifenacin, tolterodine ER/IR, trospium ER/IR, Myrbetriq

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

Abilify	Cloderm	Inderal LA	Plavix	Tikosyn
Absorica	Colestid	Intuniv	Pred Forte	Timoptic
Acanya	Concerta	Kenalog spray	Prevacid	Timoptic Ocudose
Aciphex tablet	Coreg	Kenalog-40 Injection	Prinivil	0.5%
Acticlate	Coreg CR	Keppra	Pristiq	Timoptic-XE
Aczone 5%	Cortef	Keppra XR	Prometrium	TOBI nebulizer solution
Adcirca	Cosopt solution	Klonopin	Propecia	Tobradex suspension
Adderall	Cosopt PF solution	K-tab	Protonix tab	Topamax
Adderall XR	Cozaar	Kuvan	Provigil	Topamax sprinkle cap
Adipex-P	Crestor	Lamictal chewable	Prozac	Topicort spray
Afinitor 2.5, 5, 7.5mg	Cuprimine	Lamictal starter kit	Pulmicort inhalation	Toprol XL
Alphagan P 0.15%	Cymbalta	Lamictal ODT	Qudexy XR	Tracleer 62.5, 125mg
Altace	Cytomeil	Lamictal tab	Retin-A	Travatan-Z
Ambien	Delestrogen injection	Lamictal XR	Retin-A micro gel	Treximet
Ambien CR	20mg/ml, 40mg/ml	Lasix	0.04%, 0.1%	Tribenzor
Amrix	Delzicol	Latisse	Risperdal solution,	Tricor
Androgel	Depakote	Lescol XL	tablet	Trileptal
Arimidex	Depakote ER	Letairis	Ritalin	Truvada ²
Arthrotec	Depakote sprinkle cap	Lexapro	Ritalin LA	Uceris tab
Asacol HD	Depo-testosterone	Lialda	Roxicodone	Ultrasect
Atacand	injection	Lidoderm	Sabril	Ultram
Ativan	Desonate gel	Lipitor	Safyral	Vagifem
Atripa ¹	Differin cream, gel	Loestrin 21	Sandostatin injection	Valium
Avapro	Dilantin cap 100mg	Loestrin FE	Seasonique	Valtrex
Avodart	Dilantin chewable	Lotemax suspension	Seroquel	Vanadom
Azopt	Dilantin suspension	Lotrel	Seroquel XR	Vectical
Azor	Dilaudid	Lovaza	Silvadene	Vesicare tab
Baraclude	Diovan	Lunesta	Singulair	Viagra
Benicar	Diovan HCT	Lyrica	Skelaxin	Vigamox
Benicar HCT	Donyx tab 50, 200mg	Lyrica CR	Solodyn	Vimovo
Benzaclin	Duragesic	Maxalt	Soma	Vivelle-Dot
Benzamycin	Dyazide	Maxalt-MLT	Strattera	Volgexo
Bepreve	Effexor XR	Metrogel	Suboxone	Vytorin
Bethkis	Elidel	Micardis	Taclonex ointment	Welchol
Beyaz	Epiduo gel	Micardis HCT	Tamiflu	Wellbutrin SR
Brisdelle	EpiPen Jr 0.15mg	Minestrin	Targadox	Wellbutrin XL
Butrans	Estrace	Mobic	Targretin	Xalatan
Bystolic	Evekeo	Moviprep	Tazorac cream 0.1%	Xanax
Canasa	Exforge	MS Contin	Tecfidera	Xanax XR
Carafate	Exforge HCT	Nalfon	Tegretol	Yasmin 28
Carbatrol	Fioricet	Nasonex	Tegretol-XR	Yaz
Cardizem LA	Fioricet w/ codeine	Natropa	Testim gel	Zanaflex
180, 240, 300,	Firazyr	Neurontin		Zegerid
360, 420mg	Flomax	Nexium capsule		Zestril
Camitor solution,	Focalin	Niaspan ER		Zetia
tablet	Focalin XR	Nitrostat		Ziana
Catapres-TTS patch	Fortesta	Norvasc		Zocor
Celebrex	Generess FE	Nulytely		Zolof
Celexa	chewable	Nuvigil		Zomig tab
Cialis	Gleevec	Onfi		Zomig ZMT
Ciprodex	Glumetza	Oracea		Zonegran
Clarinex 5mg tab	Golytely solution	Paxil tab		Zovirax
Cleocin vaginal cream	Halog cream	Paxil CR		Zyclara cream 3.75%
Climara patch	Hyzaar	Percocet		Zyprexa
Clobex	Imitrex	Plaquenil		Zytiga

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Required Prior Authorization +

Therapeutic Class	Non-Preferred Medications	Preferred Medications
Hepatitis C	All other brands non-preferred with prior authorization	Epclusa, Harvoni, Mavyret, Vosevi
Multiple Sclerosis	All other brands non-preferred with prior authorization	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
Immunomodulators	All other brands non-preferred with prior authorization	Avsola, Cimzia, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR

+ All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

About this document: Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.



© 2021 Optum, Inc. All rights reserved. OR100-7555 All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.